#### **Sun City Lincoln Hill ARC Application Checklist**

# Fence & Gate (Pet Barriers) Snake Fence Barrier

## **Checklist 12**

Upon approval by the ARC, a pet barrier for the control of a small pet may be installed along the wrought iron perimeter fence and adjoining gates in the rear and side yards only.

A Snake Fence Barrier is permitted on wood and wrought iron fences in good condition.

If the pet or snake barrier is to be installed on a shared fence the Agreement on page 3 of this Checklist **MUST BE SIGNED** by the Owners of adjacent properties.

This Checklist is for GUIDANCE ONLY, please refer to the CC&Rs and the Design Guidelines for all other specific requirements relating to your project.

OWNER CHECKBOXES (Must be filled in or noted N/A)  ARC CHECKBOXES				
	Brief Project Description			
		,		
	Required Documents & Samples			
Ш	<ul> <li>Drawing showing the location, dimensions and installation details for the barrier.</li> </ul>			
	<ul> <li>Manufacturer's information on the material and color.</li> </ul>			
	A large enough sample of the fence material so that the fence characteristics can be eveluated.			
	The required neighbor Agreement, page 2 of this checklist, is signed by the Owners of the adjacent properties.			
	Pet barriers are prohibited on wrought iron/metal fences or gates at front courtyards or patios.			
	For Pet Barriers - Select Option Below:  Option No. 1: The barrier will be a minimum sixteen (16) gauge wire with grid openings of two by three inches (2"x 3"). The wire will be vinyl coated and of a color matching the fence. The overall height of the barrier will not exceed twenty four inches (24") and is to be neatly tied at the top and bottom every eighteen inches (18") with closely trimmed twisted wire or zip ties.  Option No. 2: Additional pickets of the same type and color as the existing fence will be installed between the existing fence pickets. The additional pickets will be a minimum if eighteen inches (18") high and be stabilized with a horizontal bar.  Option No. 3: Additional pickets of the same type and color as the existing fence will be installed between the existing fence pickets to the full height of the fence.  The timeline for completion of work is within 90 calendar days from the start of work and must be completed			
	before the one-year approved application period expires.  Snake Fencing	Ш		
	It is recommended that a Snake Fence Specialist be consulted for this project. These guidelines are based on information received from snake fence specialists as a deterrent against snakes entering a rear yard. The association does not warrant protection from snakes.			
	Snake fence specialists recommend the fence be buried 6 -12 inches, (depending on soil), to increase the effectiveness			

The maximum visible height of the snake fence material is the height of the existing fence. Snake fence			
specialists recommend a minimum height of 36 inches.			
The fence material, (black $\frac{1}{4}$ " mesh), must be connected to the existing fence to prevent bulging. The fence			
fastener's color will be black to coordinate with fence.			
To decrease the under-gate gap, a concrete curb with appropriate "sweeps" may be instal	led.		
This checklist must be completed and signed by the Owner along w	vith the		
Architecural Review Committee, (ARC) Application Form	Ten ene		
7( -7/ 11			
Homeowner Use			
Planned Completion Date:			
Name:			
Address:			
Signature:			
APC Has Only			
ARC Use Only			
APPROVED			
INCOMPLETE			
DISAPPROVED			

Date:\_

### **Sun City Lincoln Hill ARC Application Checklist**

## Agreement to Install a Pet Barrier on a Common Wrought Iron Fence

This Agreement MUST BE SIGNED by the Owners of shared fences located on the property line.

Owners of adjacent Lots who have a fence along their common property line, shall both have the right to use the fence provided that use by one Owner does not interfere with the use and enjoyment by the other Owner, as stated in 7.06 (a) of the CC&Rs.

Neighbor No. 1 As Owner(s) of Lot No Village No fence located on the common property line	, we agree to the installation of a pet barrier on the wrought iron		
Property Address:			
HOMEOWNER SIGNATURE:	DATE		
TIONIZO WITEK SIGNATIONE.			
PLEASE PRINT NAME:			
Neighbor No. 2			
	, we agree to the installation of a pet barrier on the wrought iron		
fence located on the common property line			
Property Address:			
HOMEOWNER SIGNATURE:	DATE		
PLEASE PRINT NAME:			